

**Section 1 - Identification of the Material and Supplier**

**Candan Industries Pty. Ltd** Telephone: (07) 3209 8733  
**65 Chetwynd St** Fax: (07) 3209 8744  
**Loganholme QLD 4129 AUSTRALIA** Emergency Telephone number (A/HR) 0424 332 121

**New Zealand Supplier: INOX New Zealand**  
**In New Zealand: Emergency 0212 811 500** In New Zealand: Phone 0212 811 500, Fax 09 929 3177

**Chemical nature:** Oil blend dispensed as an aerosol  
**Trade Name:** **INOX-MX3 Aerosol**  
**Product Code:** 00003 (100 g), 00001 (300 g) TW-375g  
**Product Use:** Anti-corrosion, anti-moisture penetrating oil  
**Creation Date:** **November, 2016**  
**This version issued:** **July, 2025** and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 11 26 from anywhere in Australia**

**Section 2 - Hazards Identification****Statement of Hazardous Nature**

This product is classified as: Hazardous according to the criteria of SWA.

Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

**SUSMP Classification:** None allocated.

**ADG Classification:** Class 2.1: Flammable gases.

**UN Number:** 1950, AEROSOLS

**GHS Signal word: DANGER**

Flammable aerosols Category 2

**HAZARD STATEMENT:**

H223: Flammable aerosol

H229: Pressurised container: may burst if heated.

**PREVENTION**

P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P211: Do not spray on an open flame or other ignition source.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical ventilating, lighting and other equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P251: Do not pierce or burn, even after use.

P261: Avoid breathing fumes, mists, vapours or spray.

P262: Do not get in eyes, on skin, or on clothing.

P271: Use only outdoors or in a well ventilated area.

P280: Wear protective gloves, protective clothing and eye or face protection.

**RESPONSE**

P362: Take off contaminated clothing and wash before reuse.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.

P372: Explosion risk in case of fire.

P381: Eliminate all ignition sources if safe to do so.

**SAFETY DATA SHEET**

Issued by: Candan Industries Pty. Ltd  
In New Zealand: Emergency 0212 811 500

Telephone: (07) 3209 8733  
In New Zealand: Phone 0212 811 500, Fax 09 929 3177

**Poisons Information Centre: 13 11 26 from anywhere in Australia and 0800 764 766 in New Zealand**

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam. Water fog or fine spray is the preferred medium for large fires.

#### STORAGE

P402: Store in a dry place.

P403: Store in a well-ventilated place.

P410+P412: Store below 30°C, protect from direct sunlight and do not expose to temperatures exceeding 50°C.

#### DISPOSAL

P501: If they can not be recycled, dispose of contents to an approved waste disposal plant and containers to landfill (see Section 13 of this SDS).

#### Statement of Hazardous Nature (New Zealand)

HSR002515 Aerosols Flammable Group Standard 2020

**DG Classification:** Classified as a Dangerous Good for transport in accordance with the Land Transport Rule Dangerous Goods 2005 and NZS 5433:2007.

### Emergency Overview

**Physical Description & Colour:** Aerosol, dispensed product is a clear light tan liquid

**Odour:** Mild odour.

**Major Health Hazards:** no significant risk factors have been found for this product.

### Section 3 - Composition/Information on Ingredients

| Ingredients                     | CAS No   | Conc, % | TWA (mg/m <sup>3</sup> ) | STEL (mg/m <sup>3</sup> ) |
|---------------------------------|----------|---------|--------------------------|---------------------------|
| Butane                          | 106-97-8 | <30     | 1900                     | not set                   |
| Propane                         | 74-98-6  | <10     | not set                  | not set                   |
| Ketone                          | secret   | <5      | 100                      | not set                   |
| Other non hazardous ingredients | secret   | to 100  | not set                  | not set                   |

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

### Section 4 - First Aid Measures

#### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

**Skin Contact:** Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed, while holding the eyelid(s) open. Obtain medical advice immediately if irritation occurs. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

### Section 5 - Fire Fighting Measures

**Fire and Explosion Hazards:** The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is a moderate risk of an explosion from this product if commercial quantities are involved in a fire. Firefighters should take care and appropriate precautions.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

### SAFETY DATA SHEET

**Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam. Water fog or fine spray is the preferred medium for large fires. Try to contain spills, minimise spillage entering drains or water courses.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is a danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

**Autoignition temperature:** No data.

**Flammability Class:** No data.

## Section 6 - Accidental Release Measures

**Accidental release:** This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

## Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Store in a cool (below 30°C), well ventilated area. Protect from direct sunlight. Make sure that surrounding electrical devices and switches are suitable. Check containers and valves periodically for leaks. If you keep more than 25kg of flammable gases, you are probably required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

## Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: **AS/NZS 4501** set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

| SWA Exposure Limits | TWA (mg/m <sup>3</sup> ) | STEL (mg/m <sup>3</sup> ) |
|---------------------|--------------------------|---------------------------|
| Butane              | 1900                     | not set                   |
| Ketone              | 100                      | not set                   |

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** There is no data that enables us to recommend any type except that it should be impermeable.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

## Section 9 - Physical and Chemical Properties:

|                                           |                                                                                                           |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>Physical Description &amp; colour:</b> | Aerosol, dispensed product is a clear light tan liquid                                                    |
| <b>Odour:</b>                             | Mild odour.                                                                                               |
| <b>Boiling Point:</b>                     | Not available.                                                                                            |
| <b>Flash point:</b>                       | Propellant is flammable. Dispensed product has a flash point of 182°C when propellant gas has dissipated. |
| <b>Upper Flammability Limit:</b>          | Not available                                                                                             |

## SAFETY DATA SHEET

|                                      |                             |
|--------------------------------------|-----------------------------|
| <b>Lower Flammability Limit:</b>     | Not available               |
| <b>Freezing/Melting Point:</b>       | -18°C                       |
| <b>Volatiles:</b>                    | No data.                    |
| <b>Vapour Pressure:</b>              | <6 kPa (dispensed product)  |
| <b>Vapour Density:</b>               | No data.                    |
| <b>Specific Gravity:</b>             | 0.840 (dispensed product)   |
| <b>Water Solubility:</b>             | Negligible.                 |
| <b>pH:</b>                           | No data.                    |
| <b>Volatility:</b>                   | No data.                    |
| <b>Odour Threshold:</b>              | No data.                    |
| <b>Evaporation Rate:</b>             | No data.                    |
| <b>Coeff Oil/water Distribution:</b> | No data                     |
| <b>Particle Characteristics:</b>     | Not applicable for liquids. |

## Section 10 – Stability and Reactivity

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Store below 30°C, protect from direct sunlight and do not expose to temperatures exceeding 50°C. Keep containers tightly closed. Keep containers and surrounding areas well ventilated. Keep away from sources of sparks or ignition. Any electrical equipment in the area of this product should be flame proofed. Protect this product from light.

**Incompatibilities:** strong oxidising agents, flammable liquids, corrosive materials.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

## Section 11 - Toxicological Information

**Local Effects:**

**Target Organs:** There is no data to hand indicating any particular target organs.

## Classification of Hazardous Ingredients

| Ingredient                                                                                                           | Health Hazard Statement Codes |
|----------------------------------------------------------------------------------------------------------------------|-------------------------------|
| Propane                                                                                                              | H220                          |
| <ul style="list-style-type: none"> <li>Flammable gas - category 1</li> <li>Gas under pressure</li> </ul>             |                               |
| Butane                                                                                                               | H220                          |
| <ul style="list-style-type: none"> <li>Flammable gas – category 1</li> <li>Gases under pressure</li> </ul>           |                               |
| Ketone                                                                                                               |                               |
| <ul style="list-style-type: none"> <li>Flammable liquid - category 3</li> <li>Acute toxicity - category 4</li> </ul> |                               |

## Potential Health Effects

**Inhalation:**

**Short Term Exposure:** Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort. Intentional misuse by deliberately concentrating and inhaling contents of aerosol containers can be harmful or fatal.

**Long Term Exposure:** No data for health effects associated with long term inhalation.

**Skin Contact:**

## SAFETY DATA SHEET

**Short Term Exposure:** Major health effect from this product is misuse of the aerosol function. If sprayed continuously on skin or in eyes, it can cause frostbite.

**Long Term Exposure:** No data for health effects associated with long term skin exposure.

**Eye Contact:**

**Short Term Exposure:** If sprayed directly in the eye, this product will irritate. If spraying is prolonged, it may cause damage through frostbite.

**Long Term Exposure:** No data for health effects associated with long term eye exposure.

**Ingestion:**

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. This product, while believed to be not harmful, is likely to cause headache and gastric disturbance such as nausea and vomiting if ingested in significant quantities. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

**Long Term Exposure:** No data for health effects associated with long term ingestion.

**Carcinogen Status:**

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** Ketone is Class 3 - unclassifiable as to carcinogenicity to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

## Section 12 - Ecological Information

Insufficient data to be sure of status.

## Section 13 - Disposal Considerations

**Disposal:** Aerosol containers can be disposed of in household waste or, in some areas, recycled, when empty. If it is necessary to dispose of unused product, or containers which are not empty, a specialist waste disposal company should be used. Never crush, puncture or burn aerosol containers, even when empty.

## Section 14 - Transport Information

**Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.**

**UN Number:** 1950, AEROSOLS

**Hazchem Code:** 2YE

**Special Provisions:** 63, 190, 277

**Limited quantities:** ADG 7 specifies a Limited Quantity value of 1000mL for this class of product.

**Dangerous Goods Class:** Class 2.1: Flammable gases.

**Packing Group:** Not set

**Packing Instruction:** P003

Class 2.1 Flammable gases shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 3 (Flammable Liquids) (where both flammable liquids and flammable gases are in bulk), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 4.3 (Dangerous When Wet Substances), 5.1 (Oxidising Agents), 5.2 (Organic Peroxides), and 7 (Radioactive Substances). They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.2 (Non-flammable Non-Toxic gases), 3 (Flammable liquids except where both flammable liquids and flammable gases are in bulk), 6 (Toxic Substances), 8 (Corrosive Substances) 9 (Miscellaneous dangerous goods), Foodstuffs and foodstuff empties.

## Section 15 - Regulatory Information

**AIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations.

**New Zealand:**

HSR002515 Aerosols Flammable Group Standard 2020

## Section 16 - Other Information

**This SDS contains only safety-related information. For other data see product literature.**

**Acronyms:**

### SAFETY DATA SHEET

Issued by: Candan Industries Pty. Ltd  
In New Zealand: Emergency 0212 811 500

Telephone: (07) 3209 8733  
In New Zealand: Phone 0212 811 500, Fax 09 929 3177

**Poisons Information Centre: 13 11 26 from anywhere in Australia and 0800 764 766 in New Zealand**



|                     |                                                                                                                     |
|---------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>ADG Code</b>     | Australian Code for the Transport of Dangerous Goods by Road and Rail (7 <sup>th</sup> edition)                     |
| <b>AIIC</b>         | Australian Inventory of Industrial Chemicals                                                                        |
| <b>SWA</b>          | Safe Work Australia, formerly ASCC and NOHSC                                                                        |
| <b>CAS number</b>   | Chemical Abstracts Service Registry Number                                                                          |
| <b>Hazchem Code</b> | Emergency action code of numbers and letters that provide information to emergency services especially firefighters |
| <b>IARC</b>         | International Agency for Research on Cancer                                                                         |
| <b>NOS</b>          | Not otherwise specified                                                                                             |
| <b>NTP</b>          | National Toxicology Program (USA)                                                                                   |
| <b>SUSMP</b>        | Standard for the Uniform Scheduling of Medicines & Poisons                                                          |
| <b>UN Number</b>    | United Nations Number                                                                                               |

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

#### **Australia:**

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

#### **New Zealand**

HSNO Approved Code of Practice: Preparation of Safety Data Sheets. New Zealand Chemical Industry Council September 2006.

Revision Issued: July 2025 – update to emergency contact and New product MX3\_TW375g added

### **SAFETY DATA SHEET**

Issued by: Candan Industries Pty. Ltd  
In New Zealand: Emergency 0212 811 500

Telephone: (07) 3209 8733

In New Zealand: Phone 0212 811 500, Fax 09 929 3177

**Poisons Information Centre: 13 11 26 from anywhere in Australia and 0800 764 766 in New Zealand**